



## Evaluation Listing CCMC 13299-L Duro-Last® 50-Mil and Duro-Last® 60-Mil Membrane

<b>MasterFormat:</b>	07 54 19.03
<b>Evaluation issued:</b>	2008-01-08
<b>Re-evaluated:</b>	2018-08-27

### 1. Evaluation

#### 1.1 Material Standard

The products conform to CAN/CGSB-37.54-95, “Polyvinyl Chloride Roofing and Waterproofing Membrane” [Type 4, Class B].

### 2. Additional Information

#### 2.1 Wind Uplift Resistance of Membrane Roofing Assemblies

Refer to UL certification TGFY7.R10128 for the wind uplift resistance performance of the products.

### 3. Description

The products are polyvinyl chloride roofing membranes that are reinforced with a weft-inserted polyester fabric.

### 4. Standard and Regulatory Information

The products are suitable for use in exposed and non-exposed applications. Only materials recommended by the manufacturer should be in contact with the membranes. Follow the manufacturer’s installation recommendations. The products shall be installed in accordance with CGSB 37-GP-55M, “Application of Sheet Applied Flexible Polyvinyl Chloride Roofing Membrane.”

See the Annex appended to this Listing, which summarizes the product standard and provides information regarding the fire protection and wind uplift performance standards.

This/these product(s) was/were evaluated to the standard(s) referenced in the Annex current as of 2017-06-26. Note that the Annex may have been updated since this Listing was issued to include more recent editions of the applicable standards. Therefore, this Listing may not reflect the requirements contained in any updated version of the standards.

### Listing Holder

Duro-Last Roofing Inc.  
525 Morley Drive  
Saginaw, MI 48601  
USA

**Tel.:** 800-248-0280

**Fax:** 800-432-9331

**Web site:** [www.duro-last.com](http://www.duro-last.com)

## Plant(s)

Saginaw, MI, USA

## Disclaimer

*This Listing is issued by the Canadian Construction Materials Centre, a program of the NRC Construction Research Centre at the National Research Council of Canada. The Listing must be read in the context of the entire CCMC Registry of Product Evaluations.*

*Readers must confirm that the Listing is current and has not been withdrawn or superseded by a later issue. Please refer to [http://www.nrc-cnrc.gc.ca/eng/solutions/advisory/ccmc\\_index.html](http://www.nrc-cnrc.gc.ca/eng/solutions/advisory/ccmc_index.html), or contact the Canadian Construction Materials Centre, NRC Construction Research Centre, National Research Council of Canada, 1200 Montreal Road, Ottawa, Ontario, K1A 0R6. Telephone 613-993-6189. Fax 613-952-0268.*

*NRC has evaluated the material, product, system or service described herein only for those characteristics stated herein. The information and opinions in this Listing are directed to those who have the appropriate degree of experience to use and apply its contents. This Listing is provided without representation, warranty, or guarantee of any kind, expressed, or implied, and the National Research Council of Canada (NRC) provides no endorsement for any evaluated material, product, system or service described herein. NRC accepts no responsibility whatsoever arising in any way from any and all use and reliance on the information contained in this Listing. NRC is not undertaking to render professional or other services on behalf of any person or entity nor to perform any duty owed by any person or entity to another person or entity.*

**Date modified:**

2018-08-27